

### **Rock Energy Cooperative**

2815 Kennedy Road • P.O. Box 1758 Janesville, Wisconsin 53547-1758 (608) 752-4550 • (866) 752-4550 Fax: (608) 752-6620 www.rock.coop

Dear Prospective Member:

Thank you for contacting Rock Energy Cooperative for new service.

Established in 1936, Rock Energy is a not-for-profit utility distributing safe and reliable electricity and natural gas to more than 27,000 meters across our nine-county service area in southern Wisconsin and northern Illinois. We are dedicated to providing members with the highest quality service at the lowest possible price.

This packet contains all the information you need to apply for electric and/or natural gas service. Details about electric installation can be found in the <u>Electric Service Standards</u> document. Natural gas details are available in the <u>Natural Gas Service Manual</u>.

Please complete the enclosed application and return it along with the required documents by any of the following means:

Email:	NewMember@rock.coop	
Fax:	(608) 752-6620	(815) 389-9100
Mail:	Rock Energy Cooperative P.O. Box 1758 Janesville, WI 53547	Rock Energy Cooperative P.O. Box 126 South Beloit, IL 61080
Drop off:	2815 Kennedy Road Janesville, WI	15229 Willowbrook Road South Beloit, IL

We are looking forward to meeting your energy needs. If you have any questions, please call us at (608) 752-4550 or (866) 752-4550 between 7:30 a.m. and 4 p.m. weekdays.

Sincerely,

**Rock Energy Cooperative** 



### Request for Commercial, Industrial, and Multi-Family Electric and Natural Gas Service

OWNER AND SITE INFORMATION						
Last Name	st Name First Name			Middle Initial	SS #/ Federal Tax ID Number	
New Service Address/ Fire # and Street			City/ State/ Zip			
Existing Mailing Address/ Fire # and Street			City/ State/ Zip			
Daytime Phone Number (include area code) Evening Phone Number (include area code)		Number (include area code)	Email Address			
Check One			Subdivision Name Lot Number		Lot Number	
County	County Square Footage of Dwelling				Dwelling Type         Number of Units           Single Unit         Multi-Unit	
		BILLING IN	IFORMA	ΓΙΟΝ		
Who should be billed for the electric/ natural gas installation? Builder/ Contractor Owner			Who should be billed for the electric/ natural gas usage during construction?         Builder/ Contractor       Owner			
	BU	JILDER/CONTRA	CTOR IN	FORMATIO	N	
Builder/ Contractor Name Contact Person Name Federal Tax ID Number						
Address/ Fire # and Street City/ State/ Zip						
Daytime Phone Number (include area code)     Evening Phone Number (include area code)     Email Address						
Electrical Contractor Work Phone Number (inclu		Ude area code)         Cell Phone Number (include area code)				
Plumbing/Heating Contractor Work Phone Number (		Work Phone Number (inclu	Iude area code) Cell Phone Number (include area code)			
ELECTRIC SERVICE REQUIREMENTS						
Refer to ELECTRIC SERVICE REQUIREMENTS sheet						
NATURAL GAS SERVICE REQUIREMENTS						
Refer to NATURAL GAS SERVICE REQUIREMENTS sheet						

APPROVAL and ACCEPTANCE			
I have reviewed the information listed above, attest to its accuracy and approve of its submission.			
Owner/Responsible Party Signature	Owner/Responsible Party Printed Name	Date	

FOR OFFICE USE ONLY				
Date Received	Electric W/O No	Natural Gas W/O No	Member Account No.	
Rock Energy Cooperative Representative		Map Location		

ACCEPTED BY ROCK ENERGY COOPERATIVE (REC)		
REC Representative Signature	REC Representative Printed Name	Date

# Electric and Natural Gas Service Agreement The owner/responsible party understand(s) and agree(s) that prior to installation of underground electric lines or natural gas piping, the owner/responsible party shall have established the final grade of the route and that after installation of the line the grade shall not be increased or decreased more than 6" without the approval of Rock Energy Cooperative (REC). If applicant is not the owner, the applicant is responsible for obtaining such agreement in writing from the owner(s) and providing it to the Cooperative, at no expense to the Cooperative.

- 2. Easement: Right of Access
  - a. The owner/responsible party grant to the Cooperative the right to clear for installation and maintenance of its overhead and/or underground electric line or gas piping and to use any necessary equipment in, on and across the above described land, along highways and along fence lines thereon, and to extend such lines along or near property lines of such premises as may reasonably be necessary to extend service to future applicants for such service, and to permit the attachment of communication lines and equipment owned by others. If applicant is not the owner, the applicant is responsible for obtaining such an agreement in writing from the owner(s) and providing it to the Cooperative, at no expense to the Cooperative, unless it has previously been provided to the Cooperative.
  - b. The owner/responsible party jointly with other owners/responsible parties on the same extension shall, without cost to the Cooperative, maintain a right-of-way, which the Cooperative has the right to clear, adequate for the extension and along a route approved by the Cooperative.
  - c. If requested by the Cooperative, the owner/responsible party shall grant to the Cooperative an easement in recordable form conveying the rights and privileges in (a) and (b) above. If applicant is not the owner, the applicant is responsible for obtaining the easement in writing from the owner and to providing it to the Cooperative, at no expense to the Cooperative.
- 3. The owner/responsible party individually and jointly agree(s) to indemnify and hold harmless the Cooperative from all claims against the Cooperative because of any injury, disease or death sustained by reason of any act, omission or negligence of the owner/responsible party, or any agent, employee or subcontractor thereof.
- 4. This agreement shall become effective when acceptance of the application has been signed on behalf of the Cooperative.
- 5. The owner/responsible party is subject to the Cooperative's rates, bylaws, policies, rules and regulations.
- 6. The owner/responsible party is responsible for notifying the Cooperative of contaminated media (soil, groundwater, etc.) that may be present on the premises prior to Cooperative commencing installation or extension of service. The Cooperative reserves the right to consider alternate service routes, if necessary, to avoid contaminated media. The owner/responsible party may be held liable for additional costs incurred by the Cooperative if contaminated media is encountered during the installation of service.

If contaminated media is encountered during the installation or extension of service, the Cooperative shall terminate the installation or extension of service and notify the owner/responsible party. The owner/responsible party is responsible for reporting the discovery of contamination to the appropriate agencies and managing the contaminated media generated during the installation of service.

- 7. The Cooperative agrees to furnish, and the owner/responsible party agrees to take and pay for, utility service in accordance with provisions and rates; subject to all applicable rules of the Cooperative, including, but not limited to, terms and conditions on this page hereof; until such time as the owner/responsible party discontinues service or elects to make a written application for service under a different schedule. Such election, however, may not be exercised within a one-year period from the date of this application.
- 8. Owner/responsible party understands that once meters are set, billing will begin.
- 9. Owner/responsible party understands that upon transfer of demand billed accounts, the owner/responsible party who is responsible for the property at the time of the coincident peak, will be the party responsible for the monthly demand charge.
- 10. All property of REC, which includes, but is not limited to the meter and transformer, shall remain the property of REC, and shall not be modified or altered in any way. Any modification or alteration could be extremely dangerous and is illegal.

#### Trench Marking Agreement

The owner/responsible party agrees the Cooperative will dig, trench, plow or bore on the property located at the above address for the installation of utility services. Utility rates are based on rough grade construction, meaning the Cooperative will backfill and smooth over any excavations that the Cooperative performs. *Final restoration, grass seeding, watering and mowing are the responsibility of the owner/responsible party.* 

Prior to digging, trenching or boring, the Cooperative will identify the route of the proposed excavation. The Cooperative will notify other utility owners to facilitate the marking of existing underground utilities, including electric, telephone and cable TV.

The owner/responsible party agrees to physically mark the location of any and all owned obstacles that lie underground within ten feet of proposed excavation. Such obstacles include, but are not limited to, septic and sewer systems, buried wires for out-buildings or decorative lighting and LP gas lines. The owner/responsible party shall mark the location of all of these obstacles with stakes or flags or by painting the ground. The owner/responsible party hereby accepts any and all responsibility for damage to, or damage done by striking, any such underground obstacle which they have failed to mark correctly.

## Approval and Acceptance I understand and agree to the terms and conditions as listed above in the Electric and Natural Gas Service Agreement. Owner/Responsible Party Signature\_\_\_\_\_\_ Printed Name\_\_\_\_\_ Date\_\_\_\_\_



### Commercial, Industrial, and Multi-Family

### **Electric Service Requirements**

(This page to be completed by the Electrical Contractor)

ELECTRICAL CONTRACTOR INFORMATION					
Electrical Contractor Business Name	2	Contact Person Name			
Address		City		State	Zip
Phone No (day)	Phone No (alternate/ mobile)	E-mail Address		<u> </u>	
	•	PERMANENT SE			
Estimated Date Permanent Service		PERIVIAINEINT SEI	RVICE		
Service Size	200 Amp		320 Amps		Other Amps
Voltage 120/240 (1-PH only	/) 120/208		277/480		Other
Phase Single 3	Phase Service Type Undergrou	nd 🗌 Overhead	Distributed	Generation?	YesNo
	TEMPC	RARY SERVICE (I	F REOUIRED	))	
Estimated Date Temporary Service				/	
Service Size 100 Amps	200 Amp		Other	Amps	
voltage 120/240 (1-PH only	/) 120/208		277/480		Other
Phase Single	3 Phase	Service	<sup>Type</sup> Underground	L b	Overhead
	ELECTRI	C EQUIPMENT SP	PECIFICATIO	NS	
Cooling					Tons
Computer Air Conditioning       Tons       Room Air Conditioning       Tons         Refrigerated Space (32 to 45 degrees F)       Tons       Frozen Space (-20 to -10 degrees F)       Tons         Process Cooling (32 to 40 degrees F)       Tons       Process Freezing (-10 to -25 degrees F)       Tons					
Heating Space Heating	kw Water He	atingkw	Соо	king	_ kw
Lighting Indoor Lighting	kw Outdoor L	ightingkw	Elec	tric Vehicle Charg	ing Station (s) kw
Motors (please attach motor schedu Single Phase Motors	ule) Total HP	Three Phase Motors	Tota	al HP Lar	rgest Motor HP
VFD/ Soft Start is REQUIRED on all motors over 10 HP					
Welders (attach list of all welders)	AmpsVolts		o Phaso Woldor	s Amos	
Miscellaneous					
Wall Receptacle Circuits Other	Amps Volt	s Qty Wall	Receptacle Circ	uits Amps	s Volts Qty
		kw			kw kw
***( <i>REQUIRED FIELD</i> ) Projected Running Demand Load:					
This value is very important. The transformer will be sized based on this information. If the value submitted to Rock Energy, requires Rock Energy to purchase and install too large of a transformer, the member will be billed annually for unused capacity as outlined in the					
participating rate schedule and/or costs to replace and install an appropriately sized transformer.					
APPROVAL AND ACCEPTANCE I have reviewed the information listed above, attest to its accuracy and approve of its submission.					
Owner/Responsible Party		Printed Name	its accuracy a	and approve o	Date
Estimated Average Annual Demand		R ROCK ENERGY	JSE ONLY		
Estimated Average Attitudi Dethand	[]				



### Commercial, Industrial, and Multi-Family Natural Gas Service Requirements

(This page to be completed by the Heating and/or Plumbing Contractor)

NATURAL GAS/HVAC CONTRACTOR INFORMATION						
Heating Contractor Business Name		Contact Person N	ame			
Address		City		State	Zip	
		Exact Address				
Phone No. (day)	Phone No. (alternate/mobile)	Email Address				
Plumbing Contractor Business Name	2	Contact Person N	Contact Person Name			
Address		City		State	Zip	
Phone No. (day)	Phone No. (alternate/mobile)	Email Address				
	S	ERVICE INF	ORMATION			
Estimated Date Permanent Gas Serv			Estimated Date Temporary	Gas Service Will Be Needed dered extraordinary and sub	ject to approval)	
	ng dealer if unsure of pressure, becaus	e there is a charge t	o change pressure after install		Pressure	
Standard (7" wc) Wall Construction at Meter Location	•	5 psi	10 psi 1	5 psi C	other psi	
Masonry/ Brick	Poured Co	oncrete	Metal Wall F	Panel N	Nood Frame	
		SPACE F	IEATING			
Indicate the type of facility by placin Hospital Hotel/ M	g an "X" in the appropriate box below Motel Offices Res		Retail School	Warehouse/ Facto	ory Religious	
Building's total heated floor area,	Total connected load of the building	g's Reality Chec	k: Expected connected load fo	or heating equipment for	Estimated Annual Therm Usage	
In square feet: Sq. Ft.	space heating equipment, in BTUH: BTUH		ding is shown at right. Value s onnected load.	hould be +/- 20% of the BTUH	Therms	
					mems	
INDUSTRIAL VENTILATION EQUIPMENT Industrial ventilation equipment (typically referred to as make-up air) is used to replace air exhausted from industrial processes.						
Weekly hours of operation of the make-up air equipment:     CFM of outside air for the make-up air or the connected load of the make-up air unit:     Connected load:       Hrs/Wk     CFM     BTU			Connected load: BTUH			
Indicate if the make-up air is direct-fired or indirect-fired by placing an "x" in the appropriate cell:       Estimated Annual         Indirect fired make-up air units – these are vented units where the products of combustion are vented outside the building.       Therm Usage         These units are typically 80% efficient.       Direct-fired make-up units – these are unvented units where the products of combustion are part of the supply air to the						
These units are typicall Direct-fired make-up u	y 80% efficient. nits – these are unvented units where	re the products of co	ombustion are vented outside		Estimated Annual	
These units are typicall Direct-fired make-up u	y 80% efficient. nits – these are unvented units where re typically 96% efficient.	re the products of co the products of con	ombustion are vented outside		Estimated Annual Therm Usage	
These units are typicall Direct-fired make-up u building. These units ar	y 80% efficient. nits – these are unvented units where re typically 96% efficient.	re the products of co the products of con	ombustion are vented outside		Estimated Annual Therm Usage	
These units are typicall Direct-fired make-up u building. These units ar	y 80% efficient. nits – these are unvented units where re typically 96% efficient. Al	the products of contract of the products of contract of the products of contract of the products of the produc	ombustion are vented outside abustion are part of the supply EQUIPMENT Weekly hours of	y air to the Total connected	Estimated Annual Therm Usage Therms Estimated Annual	
These units are typicall Direct-fired make-up u building. These units ar	y 80% efficient. nits – these are unvented units where re typically 96% efficient. Al pe of equipment: pommercial, office, and ret	the products of contract of the products of contract of the products of contract of the products of the produc	bombustion are vented outside abustion are part of the supply EQUIPMENT Weekly hours of operation:	Total connected	Estimated Annual Therm Usage Therms Estimated Annual Therm Usage	
These units are typicall Direct-fired make-up u building. These units ar Ty Hot water heaters for co	y 80% efficient. nits – these are unvented units where re typically 96% efficient. All pe of equipment: pommercial, office, and retainst estaurants	the products of contract of the products of contract of the products of contract of the products of the produc	Distribution are vented outside abustion are part of the supply EQUIPMENT Weekly hours of operation: Hrs/Wk	Total connected load in BTUH:	Estimated Annual Therm Usage Therms Estimated Annual Therm Usage Therms	
These units are typicall Direct-fired make-up u building. These units ar Ty Hot water heaters for co Hot water heaters for re Instantaneous water heat Pool heater	y 80% efficient. nits – these are unvented units where re typically 96% efficient. All pe of equipment: pommercial, office, and retainst estaurants	the products of contract of the products of contract of the products of contract of the products of the produc	Description are vented outside abustion are part of the supply EQUIPMENT Weekly hours of operation: Hrs/Wk Hrs/Wk	Total connected load in BTUH: BTUH	Estimated Annual Therm Usage Therms Estimated Annual Therm Usage Therms Therms	
These units are typicall Direct-fired make-up u building. These units ar Typ Hot water heaters for co Hot water heaters for re Instantaneous water heater	y 80% efficient. nits – these are unvented units where re typically 96% efficient. All pe of equipment: pommercial, office, and retainst estaurants	the products of contract of the products of contract of the products of contract of the products of the produc	BODIESSION ARE VERY AND	Total connected load in BTUH: BTUH BTUH	Estimated Annual Therm Usage Therms Estimated Annual Therm Usage Therms Therms Therms	
These units are typicall Direct-fired make-up u building. These units ar Ty Hot water heaters for cc Hot water heaters for re Instantaneous water hea Pool heater Cooking equipment Processing equipment	y 80% efficient. nits – these are unvented units where re typically 96% efficient. All pe of equipment: pommercial, office, and retainst estaurants	the products of contract of the products of contract of the products of contract of the products of the produc	Description are vented outside abustion are part of the supply EQUIPMENT Weekly hours of operation: Hrs/Wk Hrs/Wk Hrs/Wk Hrs/Wk	vair to the Total connected load in BTUH: 	Estimated Annual Therm Usage Therms Estimated Annual Therm Usage Therms Therms Therms Therms	
These units are typicall Direct-fired make-up u building. These units ar Typ Hot water heaters for co Hot water heaters for re Instantaneous water hea Pool heater Cooking equipment Processing equipment Generator	y 80% efficient. nits – these are unvented units where re typically 96% efficient. All pe of equipment: pommercial, office, and retainst estaurants	the products of contract of the products of contract of the products of contract of the products of the produc	mbustion are vented outside abustion are part of the supply EQUIPMENT Weekly hours of operation: Hrs/Wk Hrs/Wk Hrs/Wk Hrs/Wk Hrs/Wk Hrs/Wk Hrs/Wk	vair to the Total connected load in BTUH: 	Estimated Annual Therm Usage Therms Estimated Annual Therm Usage Therms Therms Therms Therms Therms Therms	
These units are typicall Direct-fired make-up u building. These units are Ty Hot water heaters for co Hot water heaters for re Instantaneous water heat Pool heater Cooking equipment Processing equipment Generator Corn dryer	y 80% efficient. nits – these are unvented units where re typically 96% efficient. All pe of equipment: pommercial, office, and retainst estaurants	the products of contract of the products of contract of the products of contract of the products of the produc	Definition are vented outside abustion are part of the supply EQUIPMENT Weekly hours of operation: Hrs/Wk Hrs/Wk Hrs/Wk Hrs/Wk Hrs/Wk	vair to the Total connected load in BTUH: BTUH BTUH BTUH BTUH BTUH BTUH	Estimated Annual Therm Usage Therms Estimated Annual Therm Usage Therms Therms Therms Therms Therms Therms	
These units are typicall Direct-fired make-up u building. These units ar Typ Hot water heaters for co Hot water heaters for re Instantaneous water hea Pool heater Cooking equipment Processing equipment Generator	y 80% efficient. nits – these are unvented units where re typically 96% efficient. All pe of equipment: pommercial, office, and retainst estaurants	the products of contract of the products of contract of the products of contract of the products of the produc	Definition are vented outside abustion are part of the supply EQUIPMENT Weekly hours of operation: Hrs/Wk Hrs/Wk Hrs/Wk Hrs/Wk Hrs/Wk Hrs/Wk Hrs/Wk	vair to the Total connected load in BTUH: BTUH BTUH BTUH BTUH BTUH BTUH BTUH	Estimated Annual Therm Usage Therms Estimated Annual Therm Usage Therms Therms Therms Therms Therms Therms Therms Therms	
These units are typicall Direct-fired make-up u building. These units are Ty Hot water heaters for co Hot water heaters for re Instantaneous water heat Pool heater Cooking equipment Processing equipment Generator Corn dryer	y 80% efficient. nits – these are unvented units where re typically 96% efficient. All pe of equipment: pommercial, office, and retainst estaurants	the products of contract of the products of contract of the products of contract of the products of the produc	Definition are vented outside abustion are part of the supply EQUIPMENT Weekly hours of operation: Hrs/Wk Hrs/Wk Hrs/Wk Hrs/Wk Hrs/Wk Hrs/Wk Hrs/Wk Hrs/Wk Hrs/Wk	vair to the Total connected load in BTUH: BTUH BTUH BTUH BTUH BTUH BTUH BTUH BTUH	Estimated Annual Therm Usage Therms Estimated Annual Therm Usage Therms Therms Therms Therms Therms Therms Therms Therms	
These units are typicall Direct-fired make-up u building. These units are Ty Hot water heaters for co Hot water heaters for re Instantaneous water heat Pool heater Cooking equipment Processing equipment Generator Corn dryer	y 80% efficient. nits – these are unvented units where re typically 96% efficient. All pe of equipment: commercial, office, and retrest ater ater	ail buildings	Definition are vented outside abustion are part of the supply EQUIPMENT Weekly hours of operation: Hrs/Wk Hrs/Wk Hrs/Wk Hrs/Wk Hrs/Wk Hrs/Wk Hrs/Wk Hrs/Wk Hrs/Wk	vair to the Total connected load in BTUH: BTUH BTUH BTUH BTUH BTUH BTUH BTUH BTUH	Estimated Annual Therm Usage Therms Estimated Annual Therm Usage Therms Therms Therms Therms Therms Therms Therms Therms Therms	

P.O. Box 126, 15229 Willowbrook Rd. South Beloit, IL 61080-0126 (866) 752-4550



### Rock Energy Cooperative Natural Gas Disclosure Statement (IL only)

<u>Important Notice</u>: This Disclosure Statement must be signed, dated and returned to Rock Energy Cooperative prior to the natural gas service being turned on at the address below.

Property Owner:	Phone Number:
Address of Gas Meter:	

The above owner is requesting REC turn on the natural gas service at the above address. The following are the terms and conditions associated with turning the service on. <u>After the meter is set, the owner is responsible to complete the following prior to sending in the Disclosure Statement:</u>

- Piping completed from the meter to their appliances
- Pressure test
- External piping painted to protect from corrosion
- Pipe passing through wall wrapped without seams or folds
- Comply to all plumbing codes
- Member underground piping must be preapproved by REC

The member is subject to trip charges for services rendered after the initial attempt is made to turn the meter stop on by Rock Energy. The meter stop will be left off and locked if it does not pass a creep test. Any subsequent trips to the above location, beyond the initial service call, will be subject to fees and charges. Should the above natural gas service fail to pass an REC inspection, which will include a gas creep test, REC is required to issue a Caution Card. In addition, REC may require the above owner to furnish a completed and signed Piping Statement and/or approval from the County Plumbing Inspector. The owner is responsible for any and all costs that result beyond the owner's shut-off.


The owner is responsible for removing the REC Red Tag, opening the Owners Shut-Off valve and for all relights at the above address (see diagram below).

By signing below, I understand that I am requesting Rock Energy Cooperative turn on the natural gas service at the above address. I understand that Rock Energy Cooperative is not responsible for any and all claims arising from turning on the natural gas service. I agree to the above terms and conditions. I further understand that should I fail to pay any charges to Rock Energy Cooperative, the natural gas service is subject to immediate disconnection. I understand that as the property owner it is my responsibility to notify my tenant, if applicable, of the information provided in this document. I agree that I am responsible for any fees resulting in my failure to do so.

**Owner Signature** 

Date

\* The owner is responsible for removing the REC Red Tag, opening the Owners Shut-Off valve and for all relights at the above address (see diagram below).



Meter's may vary slightly in appearance, but all have the same equipment in similar locations.